Literature Cited

Literature Cited for Response to Comments

Alabaster 1969. Cited in Pimentel, D. 1971. Ecological Effects of Pesticides on Nontarget Species. Executive Office of the President's Office of Science and Technology, U.S. Government Printing Office, Washington, DC. 10-29.

Anderson, Lars W.J., Chris Pirosko, Debe Homberge, Doreen Gee and Rob Duvall. 1998. Dissipation and movement of sonar, and Komeen, following typical applications for control of Egeria densa in the Sacramento-San Joaquin delta; and production and viability of E. densa fragments following mechanical harvesting (1997/1998). USDA-Agricultural Research Service, Aquatic Weed Control Research Laboratory, Invasive Weed Research Unit, UC Davis. Unpublished report for The Department of Boating and Waterways. 16 pp. plus figures.

Arnold, W. 1979. Fluridone – A new aquatic herbicide. J. Aquat. Plant Manage. 17:30-33.

Buhl, K.J. and S.J. Hamilton. 1990. Comparative toxicity of inorganic contaminants released by placer mining to early life stages of salmonids. Ecotoxicology and Environmental Safety 20:325-342.

Chapman, G. 1973. Effect of heavy metals on fish. In: Heavy metals in the environment: Seminar conducted by Oregon State University, Water Resources Institute, Fall Quarter 1972. Pp. 141-162.

Colorado Game, Fish and Parks. 1971. Water pollution studies: Study of the effects of metallic ions on fish and aquatic organisms. Job Progress Report, Federal Aid Project F-33-R-6. 116 pp.

Cook, C.D.K and K. Urmi-Konig. 1984. A revision of the genus Egeria (Hydrocharitaceae). Aquatic Botany, 19, pp. 73-96.

DWR. 1995. Memorandum: Clifton Court Weed Control Results. Jeffrey Janik, Environmental Assessment Branch, Department of Water Resources. June 6, 1995.

Eisler, Ronald. 1997. Copper hazards to fish, wildlife and invertebrates: a synoptic review. Biological Science Report USGS/BRD/BSR—1997-002. Contaminant Hazard Reviews Report 33. US Department of the Interior, US Geological Survey, Washington, DC. 99pp.

Gilderhus, P.A. 1967. Effects of diquat on bluegills and their food organisms. Prog. Fish Cult. 29:67-74.

Griffen Corporation. 1997. Komeen, Aquatic Herbicide Specimen Label. EPA Registration No. 1812-312. Griffen Corporation, Valdosta, Georgia.

Literature Cited for Response to Comments

Grimaldo, Lenny F., Robert E. Miller, Christopher M. Peregrin, and Zachary P. Hymanson. In Preparation. Improving native fish communities through the restoration of breached-leveed wetlands in the San Francisco Estuary: Can the opportunties meet expectations? Submitted to Journal of Restoration Ecology.

Johnson, W. W. and Finley, M. T. 1980. Handbook of Acute Toxicity of Chemicals to Fish and Aquatic Invertebrates, Resource Publications 137. U.S. Department of the Interior, Fish and Wildlife Service, Washington, DC, 10-38.

McGowan, Michael F. 1998. Fishes associated with submersed aquatic vegetation, Egeria densa, in the Sacramento-San Joaquin delta in 1998 as sampled by pop nets. Romberg Tiburon Center, San Francisco State University. Unpublished report prepared for the California Department of Boating and Waterways. 10 pp.

McGowan, Michael F. and Al Marchi. 1998. Fishes collected in submersed aquatic vegetation, Egeria densa, in the Delta. *Interagency Ecological Program for the Sacramento-San Joaquin Estuary Newsletter*, Vol. 11, No. 1, Winter 1998, pp. 9-10.

McLaren/Hart Environmental Engineering Corporation, 1995. Use of the Registered Aquatic Herbicide Fluridone (Sonar) in the State of New York; Generic Environmental Impact Statement. Prepared for SePRO Corporation. Warren, New Jersey.

Meyers, M.D. and G.A. Stoner. 1974. Proc. Southern Weed Conf. 27: 290.

Parka, S., R. Albritton and C. Lin. 1978. Correlation of chemical and physical properties of the soil with herbicidal activity of fluridone. Proc. South. Weed Sci. Soc. 31:260-269. Paul, Eric A., Howard A. Simonin, John Symula, and Robert W. Bauer. 1994. The toxicity of diquat, endothall, and fluridone to early life stages of fish. Journal of Freshwater Ecology, Vol. 9, Number 3, 229-239.

Paul, E.A., H.A. Simonin, J. Symula, R.W. Bauer. 1994. The toxicity of diquat, endothall, and fluridone to the early life stages of fish. *J. of Freshwater Ecology*, Vol. 9, Number 3, pp. 229-239.

Pimentel, D. 1971. Ecological Effects of Pesticides on Nontarget Species. Executive Office of the President's Office of Science and Technology, U.S. Government Printing Office, Washington, DC. 10-29

Struve, M.R., J.H. Scott, and D.R. Bayne. 1991. Effects of fluridone and terbutryn on phytoplankton and water quality in isolated columns of water. J Aquat. Plant Manage. 29:67-76.

Surber, E.W. and H. Pickering. 1962. Acute toxicity of endothal, diquat, hyamine, dalapon and silvex to fish. Prog. Fish. Cult. 24:114-171.

Literature Cited for Response to Comments

USEPA. 1986. Pesticide Fact Sheet – Fluridone. Office of Pesticides and Toxic Substances, U.S. Environmental Protection Agency, Washington, D.C.

Personal Communication

Anderson, Lars. 1999. Fax transmission. July 7, 1999.

Anderson, Lars. 2000. Conversation with Author.

Zeneca Corporation. 2000. Email communication with P. Thalken, DBW.